




The design principle behind **Evolution** is as follows:

As a **column-based system**, work surfaces, shelves, power strips, lights and other common accessories are supported by brackets which mechanically attach to each column. By loosening the bolts that support the brackets, **each component is adjustable up/down the entire length of the column. Adjustability is infinite** – i.e., there are no notches or slots that pre-determine locations. Evolution is a 'cantilever' design - work surfaces and shelves, suspend out from the support columns and do not require additional vertical support.





Specify either of two basic bench types:

1. '**Starter**' benches consist of **two** vertical support columns, a connecting structural panel, and a work surface along with its support brackets. Starter benches may **stand alone**, or serve as the **starting bench in a row** of one or more connecting add-on benches.
2. '**Add-on**' benches include all of the above, but with **one** vertical support column, since it connects to and **shares** the column of its neighboring bench. When benches are connected, **work surfaces are un-interrupted** for the length of the row.




Exploded view of Evolution 'Starter' workstation



Double-sided benches include two work surfaces, positioned back-to-back, and come in starter and add-on configurations.

Shown: Add-on bench (unattached), corner configuration with overhead cabinet, mobile storage pedestals, low column benches, mobile cart.





## How to Specify Kewaunee's Evolution® Pg. 3 of 3

Key Specification Selections – see Evolution Order Guide and Evolution for LANS brochure for complete lists of available standard components and accessories.  
*Contact rep for info about special dimensions, configurations, accessories, etc.*

<i><b>Specify:</b></i>	<i><b>Details</b></i>	<i><b>Notes</b></i>
Column height	30", 36", 76"(standard), or 84" Special heights available	Column extension kits avail for utility integration
Bench width (width of work surface between columns.) Also referred to as bench 'length'.	24", 30", 36", 42", 48", 60", or 72" Special dimensions available	Span up to 72" between columns with 750 lb. load capacity.
Single sided work surface depth (front to back)	24", 30" or 36" Special dimensions available	2X for double-sided. See order guide for available corner units
Starter or Add-on type	Applies to single and double sided	One starter minimum required for each row. Mobile option.
Single and/or double-sided configuration	Same width/length options as single sided	2X depth of work surfaces, back to back
Work surface material	High density laminate standard with full radius front edge	Optional epoxy resin, ESD laminate, chemical resistant laminate, Trespa TopLab, stainless steel, maple
Shelf / shelves depth.	12", 18", 24" or special. Mix OK. 27" roll out floor shelf avail.	All steel. With or without lip. Std. 150 load or optional heavy duty 500 lb.
Electrical outlets in height adjustable backsplash	4 or 8 outlets std. Up to 12 avail. on single circuit. 15A or 20A. Specials available.	Includes on/off circuit and 10' power cord. Double-sided units available
Electrical outlets in column panel	6 or 12 outlets 15A or 20A	Vertical location fixed or adjustable. Voice & data avail.
Overhead Task Light	Height adjustable but typically mounts at top of columns	Light adjusts front to back and pivots
Under shelf task light	Fixed to under side of shelf above work surface	3 widths available, with on/off and power cord
Drawers/cabinets. Suspend from under worksurface, fixed far left and/or right side	All steel and lockable. Choose from 4"h personal, 7"h box and 14"h file size. Also hinged door cabinets.	See order guide for various available configurations. Lateral slide adjust option.
Overhead storage	All steel 'flipper' recess door cabinet. 15" x 15". Mounts between columns	Std. lab cabinets with sliding or hinged doors in steel and glass also available in various sizes.
Utility integration options	Columns serve as chase. Horizontal chases.	Contact rep for multiple available solutions for power, voice, data, gas, water, etc.

*Other available components include sink modules, monitor arms, bin bars, cable management, footrests, keyboard trays, CPU holders, magnifier lights. Contact rep for additional details and for any assistance with specifying the Evolution product.*